




HS-25x16	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-25X16X0100M	25	16	100	239	G1/4"	15	38	35	11	19	23	18	32	46	32	178
HS-25X16X0150M	25	16	150	289	G1/4"	15	38	35	11	19	23	18	32	46	32	228
HS-25X16X0200M	25	16	200	339	G1/4"	15	38	35	11	19	23	18	32	46	32	278
HS-25X16X0250M	25	16	250	389	G1/4"	15	38	35	11	19	23	18	32	46	32	328
HS-25X16X0300M	25	16	300	439	G1/4"	15	38	35	11	19	23	18	32	46	32	378
HS-25X16X0400M	25	16	400	539	G1/4"	15	38	35	11	19	23	18	32	46	32	478
HS-25X16X0500M	25	16	500	639	G1/4"	15	38	35	11	19	23	18	32	46	32	578
HS-25X16X0600M	25	16	600	739	G1/4"	15	38	35	11	19	23	18	32	46	32	678

HS-32x20	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-32X20X0100M	32	20	100	239	G1/4"	15	38	42	11	19	14	18	32	55	32	187
HS-32X20X0150M	32	20	150	289	G1/4"	15	38	42	11	19	14	18	32	55	32	237
HS-32X20X0200M	32	20	200	339	G1/4"	15	38	42	11	19	14	18	32	55	32	287
HS-32X20X0250M	32	20	250	389	G1/4"	15	38	42	11	19	14	18	32	55	32	337
HS-32X20X0300M	32	20	300	439	G1/4"	15	38	42	11	19	14	18	32	55	32	387
HS-32X20X0350M	32	20	350	489	G1/4"	15	38	42	11	19	14	18	32	55	32	437
HS-32X20X0400M	32	20	400	539	G1/4"	15	38	42	11	19	14	18	32	55	32	487
HS-32X20X0450M	32	20	450	589	G1/4"	15	38	42	11	19	14	18	32	55	32	537
HS-32X20X0500M	32	20	500	639	G1/4"	15	38	42	11	19	14	18	32	55	32	587
HS-32X20X0600M	32	20	600	739	G1/4"	15	38	42	11	19	14	18	32	55	32	687
HS-32X20X0700M	32	20	700	839	G1/4"	15	38	42	11	19	14	18	32	55	32	787

HS-40x20	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-40X20X0080M	40	20	80	230	G1/4"	20	50	50	14	25	9	18	40	51	40	171
HS-40X20X0100M	40	20	100	250	G1/4"	20	50	50	14	25	9	18	40	51	40	191
HS-40X20X0150M	40	20	150	300	G1/4"	20	50	50	14	25	9	18	40	51	40	241
HS-40X20X0200M	40	20	200	350	G1/4"	20	50	50	14	25	9	18	40	51	40	291
HS-40x25	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-40X25X0250M	40	25	250	400	G1/4"	20	50	50	14	25	10	18	38	52	38	340
HS-40X25X0300M	40	25	300	450	G1/4"	20	50	50	14	25	10	18	38	52	38	390
HS-40X25X0350M	40	25	350	500	G1/4"	20	50	50	14	25	10	18	38	52	38	440
HS-40X25X0400M	40	25	400	550	G1/4"	20	50	50	14	25	10	18	38	52	38	490
HS-40X25X0450M	40	25	450	600	G1/4"	20	50	50	14	25	10	18	38	52	38	540
HS-40X25X0500M	40	25	500	650	G1/4"	20	50	50	14	25	10	18	38	52	38	590
HS-40X25X0600M	40	25	600	750	G1/4"	20	50	50	14	25	10	18	38	52	38	690
HS-40X25X0700M	40	25	700	850	G1/4"	20	50	50	14	25	10	18	38	52	38	790
HS-40X25X0750M	40	25	750	900	G1/4"	20	50	50	14	25	10	18	38	52	38	840
HS-40X25X0800M	40	25	800	950	G1/4"	20	50	50	14	25	10	18	38	52	38	890
HS-40X25X0900M	40	25	900	1050	G1/4"	20	50	50	14	25	10	18	38	52	38	990
HS-40X25X1000M	40	25	1000	1150	G1/4"	20	50	50	14	25	10	18	38	52	38	1090
HS-40X25X1100M	40	25	1100	1250	G1/4"	20	50	50	14	25	10	18	38	52	38	1190
HS-40X25X1200M	40	25	1200	1350	G1/4"	20	50	50	14	25	10	18	38	52	38	1290
HS-50x30	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-50X30X0100M	50	30	100	292	G3/8"	25	70	60	19	35	24	18	42	56	42	198
HS-50X30X0120M	50	30	120	312	G3/8"	25	70	60	19	35	24	18	42	56	42	218
HS-50X30X0150M	50	30	150	342	G3/8"	25	70	60	19	35	24	18	42	56	42	248
HS-50X30X0200M	50	30	200	392	G3/8"	25	70	60	19	35	24	18	42	56	42	298
HS-50X30X0250M	50	30	250	442	G3/8"	25	70	60	19	35	24	18	42	56	42	348
HS-50X30X0300M	50	30	300	492	G3/8"	25	70	60	19	35	24	18	42	56	42	398
HS-50X30X0350M	50	30	350	542	G3/8"	25	70	60	19	35	24	18	42	56	42	448
HS-50X30X0400M	50	30	400	592	G3/8"	25	70	60	19	35	24	18	42	56	42	498
HS-50X30X0450M	50	30	450	642	G3/8"	25	70	60	19	35	24	18	42	56	42	548
HS-50X30X0500M	50	30	500	692	G3/8"	25	70	60	19	35	24	18	42	56	42	598
HS-50X30X0550M	50	30	550	742	G3/8"	25	70	60	19	35	24	18	42	56	42	648
HS-50X30X0600M	50	30	600	792	G3/8"	25	70	60	19	35	24	18	42	56	42	698
HS-50X30X0650M	50	30	650	842	G3/8"	25	70	60	19	35	24	18	42	56	42	748
HS-50X30X0700M	50	30	700	892	G3/8"	25	70	60	19	35	24	18	42	56	42	798
HS-50X30X0800M	50	30	800	992	G3/8"	25	70	60	19	35	24	18	42	56	42	898

HS-50X30X0900M	50	30	900	1092	G3/8"	25	70	60	19	35	24	18	42	56	42	998
HS-50X30X1000M	50	30	1000	1192	G3/8"	25	70	60	19	35	24	18	42	56	42	1098
HS-50X30X1500M	50	30	1500	1692	G3/8"	25	70	60	19	35	24	18	42	56	42	1598

HS-60x30	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-60X30X0100M	60	30	100	303	G3/8"	25	70	70	19	35	9	22	50	74	50	224
HS-60X30X0150M	60	30	150	353	G3/8"	25	70	70	19	35	9	22	50	74	50	274
HS-60X30X0200M	60	30	200	403	G3/8"	25	70	70	19	35	9	22	50	74	50	324
HS-60X30X0250M	60	30	250	453	G3/8"	25	70	70	19	35	9	22	50	74	50	374
HS-60X30X0300M	60	30	300	503	G3/8"	25	70	70	19	35	9	22	50	74	50	424
HS-60X30X0350M	60	30	350	553	G3/8"	25	70	70	19	35	9	22	50	74	50	474
HS-60X30X0400M	60	30	400	603	G3/8"	25	70	70	19	35	9	22	50	74	50	524
HS-60X30X0450M	60	30	450	653	G3/8"	25	70	70	19	35	9	22	50	74	50	574
HS-60X30X0500M	60	30	500	703	G3/8"	25	70	70	19	35	9	22	50	74	50	624
HS-60X30X0600M	60	30	600	803	G3/8"	25	70	70	19	35	9	22	50	74	50	724
HS-60X30X0700M	60	30	700	903	G3/8"	25	70	70	19	35	9	22	50	74	50	824
HS-60X30X0800M	60	30	800	1003	G3/8"	25	70	70	19	35	9	22	50	74	50	924
HS-60X30X0900M	60	30	900	1103	G3/8"	25	70	70	19	35	9	22	50	74	50	1024

HS-63x40	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-63X40X0100M	63	40	100	308	G3/8"	30	75	73	20	37,5	16	24	50	67	50	217
HS-63X40X0150M	63	40	150	358	G3/8"	30	75	73	20	37,5	16	24	50	67	50	267
HS-63X40X0200M	63	40	200	408	G3/8"	30	75	73	20	37,5	16	24	50	67	50	317
HS-63X40X0250M	63	40	250	458	G3/8"	30	75	73	20	37,5	16	24	50	67	50	367
HS-63X40X0300M	63	40	300	508	G3/8"	30	75	73	20	37,5	16	24	50	67	50	417
HS-63X40X0350M	63	40	350	558	G3/8"	30	75	73	20	37,5	16	24	50	67	50	467
HS-63X40X0400M	63	40	400	608	G3/8"	30	75	73	20	37,5	16	24	50	67	50	517
HS-63X40X0450M	63	40	450	658	G3/8"	30	75	73	20	37,5	16	24	50	67	50	567
HS-63X40X0500M	63	40	500	708	G3/8"	30	75	73	20	37,5	16	24	50	67	50	617
HS-63X40X0600M	63	40	600	808	G3/8"	30	75	73	20	37,5	16	24	50	67	50	717
HS-63X40X0650M	63	40	650	858	G3/8"	30	75	73	20	37,5	16	24	50	67	50	767
HS-63X40X0700M	63	40	700	908	G3/8"	30	75	73	20	37,5	16	24	50	67	50	817
HS-63X40X0800M	63	40	800	1008	G3/8"	30	75	73	20	37,5	16	24	50	67	50	917
HS-63X40X0900M	63	40	900	1108	G3/8"	30	75	73	20	37,5	16	24	50	67	50	1017
HS-63X40X1000M	63	40	1000	1208	G3/8"	30	75	73	20	37,5	16	24	50	67	50	1117

HS-70x40	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-70X40X0100M	70	40	100	308	G1/2"	30	75	80	20	37,5	16	25	50	67	50	217

HS-70X40X0200M	70	40	200	408	G1/2"	30	75	80	20	37,5	16	25	50	67	50	317
HS-70X40X0250M	70	40	250	458	G1/2"	30	75	80	20	37,5	16	25	50	67	50	367
HS-70X40X0300M	70	40	300	508	G1/2"	30	75	80	20	37,5	16	25	50	67	50	417
HS-70X40X0350M	70	40	350	558	G1/2"	30	75	80	20	37,5	16	25	50	67	50	467
HS-70X40X0400M	70	40	400	608	G1/2"	30	75	80	20	37,5	16	25	50	67	50	517
HS-70X40X0450M	70	40	450	658	G1/2"	30	75	80	20	37,5	16	25	50	67	50	567
HS-70X40X0500M	70	40	500	708	G1/2"	30	75	80	20	37,5	16	25	50	67	50	617
HS-70X40X0600M	70	40	600	808	G1/2"	30	75	80	20	37,5	16	25	50	67	50	717
HS-70X40X0700M	70	40	700	908	G1/2"	30	75	80	20	37,5	16	25	50	67	50	817
HS-70X40X0800M	70	40	800	1008	G1/2"	30	75	80	20	37,5	16	25	50	67	50	917
HS-70X40X0900M	70	40	900	1108	G1/2"	30	75	80	20	37,5	16	25	50	67	50	1017
HS-70X40X1000M	70	40	1000	1208	G1/2"	30	75	80	20	37,5	16	25	50	67	50	1117
HS-70X40X1100M	70	40	1100	1308	G1/2"	30	75	80	20	37,5	16	25	50	67	50	1217

HS-80x40	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-80X40X0100M	80	40	100	323	G1/2"	35	86	90	23	43	9	24	62	66	62	228
HS-80X40X0150M	80	40	150	373	G1/2"	35	86	90	23	43	9	24	62	66	62	278
HS-80X40X0200M	80	40	200	423	G1/2"	35	86	90	23	43	9	24	62	66	62	328
HS-80X40X0250M	80	40	250	473	G1/2"	35	86	90	23	43	9	24	62	66	62	378
HS-80X40X0300M	80	40	300	523	G1/2"	35	86	90	23	43	9	24	62	66	62	428

HS-80x50	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-80X50X0350M	80	50	350	573	G1/2"	35	86	90	23	43	10	25	60	67	60	477
HS-80X50X0400M	80	50	400	623	G1/2"	35	86	90	23	43	10	25	60	67	60	527
HS-80X50X0450M	80	50	450	673	G1/2"	35	86	90	23	43	10	25	60	67	60	577
HS-80X50X0500M	80	50	500	723	G1/2"	35	86	90	23	43	10	25	60	67	60	627
HS-80X50X0550M	80	50	550	773	G1/2"	35	86	90	23	43	10	25	60	67	60	677
HS-80X50X0600M	80	50	600	823	G1/2"	35	86	90	23	43	10	25	60	67	60	727
HS-80X50X0650M	80	50	650	873	G1/2"	35	86	90	23	43	10	25	60	67	60	777
HS-80X50X0700M	80	50	700	923	G1/2"	35	86	90	23	43	10	25	60	67	60	827
HS-80X50X0800M	80	50	800	1023	G1/2"	35	86	90	23	43	10	25	60	67	60	927
HS-80X50X0900M	80	50	900	1123	G1/2"	35	86	90	23	43	10	25	60	67	60	1027
HS-80X50X1000M	80	50	1000	1223	G1/2"	35	86	90	23	43	10	25	60	67	60	1127
HS-80X50X1100M	80	50	1100	1323	G1/2"	35	86	90	23	43	10	25	60	67	60	1227
HS-80X50X1200M	80	50	1200	1423	G1/2"	35	86	90	23	43	10	25	60	67	60	1327

HS-90x60	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-90X60X0200M	90	60	200	444	G1/2"	40	100	100	26	50	12	24	60	72	60	332

HS-90X60X0250M	90	60	250	494	G1/2"	40	100	100	26	50	12	24	60	72	60	382
HS-90X60X0300M	90	60	300	544	G1/2"	40	100	100	26	50	12	24	60	72	60	432
HS-90X60X0350M	90	60	350	594	G1/2"	40	100	100	26	50	12	24	60	72	60	482
HS-90X60X0400M	90	60	400	644	G1/2"	40	100	100	26	50	12	24	60	72	60	532
HS-90X60X0500M	90	60	500	744	G1/2"	40	100	100	26	50	12	24	60	72	60	632
HS-90X60X0600M	90	60	600	844	G1/2"	40	100	100	26	50	12	24	60	72	60	732
HS-90X60X0700M	90	60	700	944	G1/2"	40	100	100	26	50	12	24	60	72	60	832

HS-100x60	AL	SP	K (iskun pituus)	Z (asennusmitta)	E	P	H	D	V,V1	M,M1	W	S	T	A	B	X (putken pituus)
HS-100X60X0100M	100	60	100	371	G1/2"	50	125	115	32	62,5	11	24	60	75	60	235
HS-100X60X0200M	100	60	200	471	G1/2"	50	125	115	32	62,5	11	24	60	75	60	335
HS-100X60X0250M	100	60	250	521	G1/2"	50	125	115	32	62,5	11	24	60	75	60	385
HS-100X60X0300M	100	60	300	571	G1/2"	50	125	115	32	62,5	11	24	60	75	60	435
HS-100X60X0350M	100	60	350	621	G1/2"	50	125	115	32	62,5	11	24	60	75	60	485
HS-100X60X0400M	100	60	400	671	G1/2"	50	125	115	32	62,5	11	24	60	75	60	535
HS-100X60X0450M	100	60	450	721	G1/2"	50	125	115	32	62,5	11	24	60	75	60	585
HS-100X60X0500M	100	60	500	771	G1/2"	50	125	115	32	62,5	11	24	60	75	60	635
HS-100X60X0600M	100	60	600	871	G1/2"	50	125	115	32	62,5	11	24	60	75	60	735
HS-100X60X0650M	100	60	650	921	G1/2"	50	125	115	32	62,5	11	24	60	75	60	785
HS-100X60X0700M	100	60	700	971	G1/2"	50	125	115	32	62,5	11	24	60	75	60	835
HS-100X60X0800M	100	60	800	1071	G1/2"	50	125	115	32	62,5	11	24	60	75	60	935
HS-100X60X0900M	100	60	900	1171	G1/2"	50	125	115	32	62,5	11	24	60	75	60	1035
HS-100X60X1000M	100	60	1000	1271	G1/2"	50	125	115	32	62,5	11	24	60	75	60	1135
HS-100X60X1100M	100	60	1100	1371	G1/2"	50	125	115	32	62,5	11	24	60	75	60	1235
HS-100X60X1200M	100	60	1200	1471	G1/2"	50	125	115	32	62,5	11	24	60	75	60	1335